

BET1L Rabbit pAb

Catalog NO.: A11951 **1 Publications**

Basic Information

Observed MW

14kDa

Calculated MW

12kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Human

Conjugation

Unconjugated

Background

Enables SNAP receptor activity. Involved in regulation of retrograde vesicle-mediated transport, Golgi to ER and retrograde transport, endosome to Golgi. Located in Golgi apparatus and endosome. Implicated in uterine fibroid. Biomarker of endometrial adenocarcinoma.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

51272

Swiss Prot

Q9NYM9

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

GS15; BET1L1; GOLIM3; HSPC197; BET1L


Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source	Isotype	Purification
Rabbit	IgG	Affinity purification
Storage		
Store at -20°C. Avoid freeze / thaw cycles.		
Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.		

Validation Data



Western blot analysis of various lysates using BET1L Rabbit pAb (A11951) at 1:3000 dilution._Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution._Lysates/proteins: 25µg per lane._Blocking buffer: 3% nonfat dry milk in TBST._Detection: ECL Enhanced Kit (RM00021)._Exposure time: 90s.

