# SLA2 Rabbit pAb

**Catalog NO.: A12818**

## Basic Information

### Observed MW
28kDa

### Calculated MW
29kDa

### Category
Polyclonal Antibodies

### Applications
WB, ELISA

### Cross-Reactivity
Human

### Conjugation
Unconjugated

## Background

This gene encodes a member of the SLAP family of adapter proteins. The encoded protein may play an important receptor-proximal role in downregulating T and B cell-mediated responses and inhibits antigen receptor-induced calcium mobilization. This protein interacts with Cas-Br-M (murine) ecotropic retroviral transforming sequence c. Two transcript variants encoding distinct isoforms have been identified for this gene.

## Recommended Dilutions

**WB** 1:500 - 1:2000

### ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

## Immunogen Information

### Gene ID
84174

### Swiss Prot
Q9H6Q3

### Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

### Synonyms
MARS; SLAP2; SLAP-2; C20orf156; SLA2

## Contact

## Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


**Source**
Rabbit

**Isotype**
IgG

**Purification**
Affinity purification

**Storage**
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

## Validation Data




Western blot analysis of various lysates using SLA2 Rabbit pAb (A12818) at 1:3000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Enhanced Kit (RM00021).
Exposure time: 90s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.