TCL1B Rabbit pAb

Catalog NO.: A12822

Basic Information

Observed MW
16kDa

Calculated MW
15kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Human, Mouse, Rat

Conjugation
Unconjugated

Background

Enables protein kinase binding activity and protein serine/threonine kinase activator activity. Involved in positive regulation of peptidyl-serine phosphorylation and positive regulation of protein serine/threonine kinase activity. Part of protein-containing complex.

Recommended Dilutions

WB 1:500 - 1:1000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
9623

Swiss Prot
O95988

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
TML1; SYN-1; TCL1B

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com

Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates using TCL1B Rabbit pAb (A12822) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 90s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.