CWC22 Rabbit pAb

Catalog NO.: A13116

Basic Information

Observed MW
110kDa

Calculated MW
105kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Mouse

Conjugation
Unconjugated

Background

Enables RNA binding activity. Involved in mRNA splicing, via spliceosome. Located in cytosol and nuclear speck. Part of U2-type catalytic step 1 spliceosome; U2-type catalytic step 2 spliceosome; and U2-type precatalytic spliceosome.

Recommended Dilutions

WB 1:1000 - 1:2000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
57703

Swiss Prot
Q9HCG8

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
NCM; fSAPb; EIF4GL; CWC22

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates using CWC22 Rabbit pAb (A13116) at 1:3000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 30s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.