

KCNU1 Rabbit pAb

Catalog NO.: A14967 **3 Publications**

Basic Information

Observed MW

130kDa

Calculated MW

130kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Rat

Conjugation

Unconjugated

Background

This gene encodes a member of the potassium channel family of proteins. The encoded voltage-gated ion channel allows the outward flow of potassium ions during plasma membrane hyperpolarization in sperm. Opening of this channel may be regulated by calcium ion levels. Homozygous knockout mice that lack the related mouse gene exhibit male sterility. Alternative splicing results in multiple transcript variants.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

157855

Swiss Prot

A8MYU2

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

KCa5; Slo3; KCNMC1; KCa5.1; Kcnma3; SPGF79; KCNU1

Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of lysates from rat testis, using KCNU1 Rabbit pAb (A14967) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Enhanced Kit (RM00021).

Exposure time: 90s.

