

GET4 Rabbit pAb

Catalog NO.: A16190

Basic Information

Observed MW

36kDa

Calculated MW

37kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse, Rat

Conjugation

Unconjugated

Background

Enables chaperone binding activity. Involved in cytoplasmic sequestering of protein; maintenance of unfolded protein involved in ERAD pathway; and tail-anchored membrane protein insertion into ER membrane. Located in chromosome; cytosol; and nuclear lumen. Part of BAT3 complex.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

51608

Swiss Prot

Q7L5D6

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

CEE; CDG2Y; TRC35; CGI-20; C7orf20; GET4


Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source	Isotype	Purification
Rabbit	IgG	Affinity purification
Storage		
Store at -20°C. Avoid freeze / thaw cycles.		
Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.		

Validation Data



Western blot analysis of various lysates using GET4 Rabbit pAb (A16190) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 3s.

