MYF5 Rabbit pAb

Catalog NO.: A16227 **5 Publications**

Basic Information

Observed MW
28kDa

Calculated MW
28kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Human, Mouse

Conjugation
Unconjugated

Background

Predicted to enable DNA-binding transcription factor activity, RNA polymerase II-specific and RNA polymerase II cis-regulatory region sequence-specific DNA binding activity. Predicted to contribute to E-box binding activity. Predicted to be involved in several processes, including muscle cell fate commitment; positive regulation of cell differentiation; and skeletal muscle cell differentiation. Predicted to act upstream of or within several processes, including animal organ development; regulation of cell-matrix adhesion; and somitogenesis. Located in nucleoplasm.

Recommended Dilutions

WB 1:500 - 1:1000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
4617

Swiss Prot
P13349

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
EORVA; bHLHc2; MYF5

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of lysates from Mouse testis, using MYF5 Rabbit pAb (A16227) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 90s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.