

TSPY3 Rabbit pAb

Catalog NO.: A17886

Basic Information

Observed MW

35kDa

Calculated MW

35kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Rat

Conjugation

Unconjugated

Background

Predicted to enable chromatin binding activity and histone binding activity. Predicted to be involved in sex differentiation. Predicted to be located in cytoplasm. Predicted to be active in chromatin and nucleus.

Recommended Dilutions

WB

1:500 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

728137

Swiss Prot

P0CV98

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

CT78; TSPY; TSPY1; TSPY10; TSPY3

Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of lysates from Rat testis, using TSPY3 Rabbit pAb (A17886) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 1s.

