

ANGPTL8 Rabbit pAb

Catalog NO.: A18133

Basic Information

Observed MW

24 kDa

Calculated MW

22 kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse

Background

Predicted to enable hormone activity. Involved in regulation of lipid metabolic process and triglyceride homeostasis. Acts upstream of or within positive regulation of protein processing and regulation of lipoprotein metabolic process. Located in extracellular region.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

55908

Swiss Prot

Q6UXH0

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

RIFL; TD26; PRO1185; PVPA599; C19orf80; ANGPTL8

Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of various lysates, using ANGPTL8 Rabbit pAb (A18133) at 1:3000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 180s.

