

NOP2 Rabbit pAb

Catalog NO.: A19421

Basic Information

Observed MW

110kDa

Calculated MW

89kDa

Category

Polyclonal Antibodies

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse

Conjugation

Unconjugated

Background

Enables RNA binding activity. Involved in positive regulation of cell population proliferation; regulation of signal transduction by p53 class mediator; and ribosomal large subunit assembly. Located in nucleolus.

Recommended Dilutions

WB

1:500 - 1:1000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

4839

Swiss Prot

P46087

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

NOL1; p120; NSUN1; NOP120; NOP2


Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source	Isotype	Purification
Rabbit	IgG	Affinity purification
Storage		
Store at -20°C. Avoid freeze / thaw cycles.		
Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.		

Validation Data



Western blot analysis of various lysates using NOP2 Rabbit pAb (A19421) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 30s.

