

# ABI3 Rabbit pAb

Catalog NO.: A21288

## Basic Information

### Observed MW

Refer to figures

### Calculated MW

80kDa

### Category

Polyclonal Antibodies

### Applications

WB, ELISA

### Cross-Reactivity

Arabidopsis thaliana

### Conjugation

Unconjugated

## Background

Homologous to the maize transcription factor Viviparous-1. Full length ABI3 protein binds to the highly conserved RY motif [DNA motif CATGCA(TG)], present in many seed-specific promoters, and the B3 domains of this transcription factor is necessary for the specific interaction with the RY element. Transcriptional activity of ABI3 requires the B3 DNA-binding domain and an activation domain. In addition to the known N-terminal-located activation domain, a second transcription activation domain was found in the B1 region of ABI3. ABI3 is essential for seed maturation. Regulator of the transition between embryo maturation and early seedling development. Putative seed-specific transcriptional activator. ABI3 is a central regulator in ABA signaling and is unstable in vivo. It interacts with and can be polyubiquitinated by AIP2 in vivo. Based on double mutant analyses, ABI3 interacts genetically with both FUS3 and LEC1 and is involved in controlling accumulation of chlorophyll and anthocyanins, sensitivity to abscisic acid, and expression of the members of the 12S storage protein gene family. In addition, both FUS3 and LEC1 regulate positively the abundance of the ABI3 protein in the seed. Alternative splicing of ABI3 is developmentally regulated by SUA (AT3G54230).

## Recommended Dilutions

**WB** 1:500 - 1:2000

### ELISA

Recommended starting concentration is 1 µg/mL.  
Please optimize the concentration based on your specific assay requirements.

## Immunogen Information

### Gene ID

822061

### Swiss Prot

Q01593

### Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

### Synonyms

ABA INSENSITIVE 3; ABSCISIC ACID INSENSITIVE 3; AtABI3; SIS10; SUGAR INSENSITIVE 10; ABI3

## Contact

## Product Information

|   |  |                      |
|---|--|----------------------|
| ☒ |  | order@abclonal.com   |
| ☒ |  | service@abclonal.com |
| ☒ |  | www.abclonal.com     |

**Source**

Rabbit

**Isotype**

IgG

**Purification**

Affinity purification

**Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

