

ABflo® 594 Rabbit anti-FITC/5-FAM/6-FAM mAb

Catalog NO.: A24240

Basic Information

Observed MW

Calculated MW

Category

Monoclonal Antibodies

Applications

FC

Cross-Reactivity

Species independent

Conjugation

ABflo® 594. Ex:588nm. Em:604nm.

Clone number

ARC51071

Background

FITC (fluorescein isothiocyanate) is a fluorochrome dye that absorbs ultraviolet or blue light causing molecules to become excited and emit a visible yellow-green light. This emission ceases upon removal of the light causing the excitation. Fluorochrome labeling provides rapid, accurate localization of antigen-antibody interaction when one of the reactants is part of a cell, tissue or other biological structure. FITC is a commonly used marker for antibodies in immunofluorescent techniques since the conjugation of FITC to proteins is relatively easy and does not, in general, destroy the biological activity of the labeled protein. FITC is widely used as a hapten to label different proteins.

Recommended Dilutions

FC 5 µl per 10⁶ cells in 100 µl volume

Immunogen Information

Gene ID

Swiss Prot

Immunogen

Chemical compounds corresponding to FITC/5-FAM/6-FAM.

Synonyms

FITC


Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source	Isotype	Purification
Rabbit	IgG	Affinity purification
Storage		
Store at 2-8°C. Avoid freeze.		
Buffer: PBS containing 0.2% BSA, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.		

Validation Data



Flow cytometry:1X10^6 HT-29 cells (negative control,left) and Raji cells (right) were surface-stained with Mouse anti-Human CD86 mAb(Biolegend 374203,5 µl/Test,orange line) or ABflo® 594 Rabbit IgG isotype control (A23821,5 µl/Test,blue line),then stained with ABflo® 594 Rabbit anti-FITC/5-FAM/6-FAM mAb(A24240,5 µl/Test) ,Non-fluorescently stained cells were used as blank control (red line).

