

ABflo® 555 Rabbit Anti-Goat IgG (Fc) fragment mAb

Catalog NO.: A25514

Basic Information

Observed MW

Calculated MW

Category

Monoclonal Antibodies

Applications

FC

Cross-Reactivity

Goat

Conjugation

ABflo® 555. Ex:557nm. Em:570nm.

Clone number

ARC56943

Background

Recommended Dilutions

FC 5 µl per 10⁶ cells in 100 µl volume

Immunogen Information

Gene ID

Swiss Prot

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage


Store at 2-8°C. Avoid freeze.

Buffer: PBS containing 0.2% BSA, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Flow cytometry: 1X10⁶ Jurkat cells (negative control, left) and A-431 cells (right) were surface-stained with Goat anti-Human TROP-2 mAb (IgG, κ, orange line) or ABflo® 555 Rabbit IgG isotype control (5 μl/Test, blue line), followed by ABflo® 555 Rabbit Anti-Goat IgG (Fc) fragment mAb (A25514, 5 μl/Test) staining. Non-fluorescently stained cells were used as blank control (red line).



Flow cytometry: 1X10⁶ A-431 cells were surface-stained with ABflo® 555 Rabbit IgG isotype control (5 μl/Test, left) or Goat anti-Human TROP-2 mAb (IgG, κ, right). ABflo® 555 Rabbit Anti-Goat IgG (Fc) fragment mAb (A25514, 5 μl/Test) was used as a secondary antibody.

