

Anti-Monkey CD138 mAb

Catalog NO.: A28752

Basic Information

Observed MW

Calculated MW

32 kDa

Category

Monoclonal Antibodies

Applications

IHC-P

Cross-Reactivity

Cynomolgus monkey

Conjugation

Unconjugated

Clone number

ARC5255-01

Background

The protein encoded by this gene is a transmembrane (type I) heparan sulfate proteoglycan and is a member of the syndecan proteoglycan family. The syndecans mediate cell binding, cell signaling, and cytoskeletal organization and syndecan receptors are required for internalization of the HIV-1 tat protein. The syndecan-1 protein functions as an integral membrane protein and participates in cell proliferation, cell migration and cell-matrix interactions via its receptor for extracellular matrix proteins. Altered syndecan-1 expression has been detected in several different tumor types. While several transcript variants may exist for this gene, the full-length natures of only two have been described to date. These two represent the major variants of this gene and encode the same protein.

Recommended Dilutions

IHC-P

1:500 - 1:2000

Immunogen Information

Gene ID

102126789

Swiss Prot

/

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

SDC; CD138; SYND1; syndecan

Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.09% Sodium azide,0.05% BSA,50% glycerol,pH7.3.

Validation Data



Immunohistochemistry analysis of paraffin-embedded Cynomolgus monkey spleen tissue using Anti-Monkey CD138 mAb (A28752) at a dilution of 1:500 (40x lens). High pressure antigen retrieval performed with 0.01M Tris-EDTA Buffer (pH 9.0) prior to IHC staining.

