

PerCP Rabbit anti-Mouse CD3e mAb

Catalog NO.: A29000

Basic Information

Observed MW

Calculated MW

Category

Monoclonal Antibodies

Applications

FC

Cross-Reactivity

Mouse

Conjugation

PerCP. Ex:482nm. Em:678nm.

Clone number

ARC80921

Background

CD3ε is a 20 kD transmembrane protein, also known as CD3 or T3. It is a member of the Ig superfamily, mainly expressed on T cells and NK-T cells, and expressed at different levels on thymocytes during the process of T cell differentiation. CD3ε forms TCR complexes by binding to CD3δ, γ and δ chains as well as TCR α/β or γ/δ chains. CD3 plays a key role in TCR signal transduction, T cell activation and antigen recognition by binding to peptide /MHC antigen complexes.

Recommended Dilutions

FC ≤0.25 μg per million cells in 100 μl volume

Immunogen Information

Gene ID

12501

Swiss Prot

P22646

Immunogen

Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms

CD3; T3ε; CD3epsilon


Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source	Isotype	Purification
Rabbit	IgG	Affinity purification
Storage		
Store at 2-8°C. Avoid freeze.		
Buffer: PBS with 0.09% Sodium azide,0.2% BSA,pH7.3.		

Validation Data



Flow cytometry: 1X10⁶ C57BL/6 mouse splenocytes were surface-stained with ABflo® 450 Rabbit anti-Mouse CD4 mAb (A25941,5 µl/Test), ABflo® 450 Rabbit anti-Mouse CD8a mAb (A25943,5 µl/Test) and PerCP Rabbit IgG isotype control (A24204,5 µl/Test,left) or PerCP Rabbit anti-Mouse CD3e mAb (A29000,0.25 µg,right).

