FTSJ1 Rabbit pAb

Catalog NO.: A7967 **1 Publications**

Basic Information

Observed MW
36kDa

Calculated MW
36kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Human, Mouse, Rat

Conjugation
Unconjugated

Background

This gene encodes a member of the methyltransferase superfamily. The encoded protein localizes to the nucleolus, binds to S-adenosylmethionine, and may be involved in the processing and modification of ribosomal RNA. Mutations in this gene are associated with cognitive disability. Alternative splicing results in multiple transcript variants.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
24140

Swiss Prot
Q9UET6

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
JM23; MRX9; SPB1; CDLIV; MRX44; TRMT7; XLID9; FTSJ1

Contact

Product Information

☒ | order@abclonal.com
☒ | service@abclonal.com
☒ | www.abclonal.com

Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of various lysates, using FTSJ1 Rabbit pAb (A7967) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 10s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.