STRA13 Rabbit pAb

Catalog NO.: A9892

Basic Information

Observed MW
14kDa

Calculated MW
9kDa

Category
Polyclonal Antibodies

Applications
WB, ELISA

Cross-Reactivity
Human

Conjugation
Unconjugated

Background

Enables DNA binding activity. Contributes to double-stranded DNA binding activity. Involved in replication fork processing and resolution of meiotic recombination intermediates. Part of FANCM-MHF complex and Fanconi anaemia nuclear complex.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA
Recommended starting concentration is 1 μg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID
201254

Swiss Prot
A8MT69

Immunogen
Recombinant protein (or fragment).This information is considered to be commercially sensitive.

Synonyms
D9; MHF2; CENP-X; FAAP10; STRA13

Contact

Product Information

order@abclonal.com
service@abclonal.com
www.abclonal.com


Source
Rabbit

Isotype
IgG

Purification
Affinity purification

Storage
Store at -20°C. Avoid freeze / thaw cycles.
Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of lysates from H460 cells, using STRA13 Rabbit pAb (A9892) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 60s.

For research use only. Not for therapeutic or diagnostic purposes.

Please visit **https://abclonal.com** for a complete list of recommended products.