

Magnetic Beads-conjugated Rabbit IgG isotype control

Catalog NO.: AC047 **2 Publications**

Basic Information

Observed MW

Calculated MW

Category

Loading control Antibodies

Applications

IP

Cross-Reactivity

Conjugation

Magnetic Beads

Clone number

ARC5105-02-Beads

Background

Recommended Dilutions

IP

30ul antibody (bead slurry) for 200µg-400µg
extracts of whole cells

Immunogen Information

Gene ID

Swiss Prot

Immunogen

This information is considered to be commercially sensitive.

Synonyms


Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source	Isotype	Purification
Rabbit	IgG	Protein A/G purification
Storage		
Store at 4°C. Avoid freeze / thaw cycles.		
Buffer: PBS with 0.05% proclin300,pH7.3.		

Validation Data



Immunoprecipitation analysis of 300 ug extract cell lysate from 293T cells transfected with GSK3B expression vector containing a C-terminal DDDDK tag (1x) with 30uL Magnetic Beads-conjugated Rabbit anti-DDDDK-tag mAb antibody (AE097). Magnetic Beads-conjugated Rabbit IgG isotype control mAb was used as a negative control (AC047). Western blot was performed from the immunoprecipitate using Mouse anti DDDDK-Tag mAb antibody (AE005) at 1:2000 dilution.Secondary antibody: HRP-conjugated AffiniPure Goat Anti-Mouse IgG Light Chain (AS062).

