

ABflo® 488 Rabbit anti His-Tag mAb

Catalog NO.: AE151

Basic Information

Observed MW

Calculated MW

Category

Tag Antibodies

Applications

FC (intra),FC

Cross-Reactivity

Species independent

Conjugation

ABflo® 488. Ex:491nm. Em:516nm.

Clone number

ARC2696RE

Background

Consecutive histidine residues (usually 6 to 10 in length) are often inserted into the amino acid sequences of recombinant proteins. The resulting His-tagged proteins can be detected by using His antibodies.

Recommended Dilutions

FC (intra)

FC

Immunogen Information

Gene ID

Swiss Prot

Immunogen

Synthetic peptide. This information is considered to be commercially sensitive.

Synonyms

His;His tag;His-tag


Contact

Product Information

☒		order@abclonal.com
☒		service@abclonal.com
☒		www.abclonal.com

Source	Isotype	Purification
Rabbit	IgG	Affinity purification
Storage		
Store at 2-8°C. Avoid freeze.		
Buffer: PBS with 0.09% Sodium azide,0.2% BSA,pH7.3.		

Validation Data



Flow cytometry: 1X10⁶ 293F cells (negative control,left) and 293F (Transfection,right) cells were surface-stained with ABflo® 488 Rabbit anti His-Tag mAb (AE151,0.25 µg,orange line) or ABflo® 488 Rabbit IgG isotype control (A22069,5 µl/Test,blue line). Non-fluorescently stained cells were used as blank control (red line).

